

OK to enter. 2/4/05
I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON THE DATE INDICATED BELOW.

BY:

Dan Marks

Date:

12/21/04

MAIL STOP ISSUE FEE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of:
Masamichi AOKI

: Allowed: September 27, 2004

Conf. No.: 6882

: Group Art Unit: 2852

Appln. No.: 10/634,517

: Examiner: Susan Shuk Yin Lee

Filing Date: August 4, 2003

: Attorney Docket No.: 9448-143US [G0272US]

Title: IMAGE FORMING APPARATUS

AMENDMENT AFTER ALLOWANCE UNDER 37 C.F.R. § 1.312

Subsequent to the Notice of Allowance dated September 27, 2004 (Paper No. 09202004), and simultaneously with the payment of the issue fee, which is being submitted concurrently herewith, please amend the above application, without prejudice, as follows:

Certificate of Facsimile Transmission 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office at (703) 703-746-4000 on the date shown below.

Name of Person Signing Certificate: Renee Conti

January 13, 2005 Renee Conti

Date Signature

RECEIVED
CENTRAL FAX CENTER

JAN 13 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of: Masamichi AOKI : Allowed: September 27, 2004

Conf. No.: 6882 : Group Art Unit: 2852

Appln. No.: 10/634,517 : Examiner: Susan Shuk Yin Lee

Filing Date: August 4, 2003 : Attorney Docket No.: 9448-143US [G0272US]

Title: IMAGE FORMING APPARATUS

CORRECTION TO AMENDMENT AFTER ALLOWANCE
UNDER 37 C.F.R. § 1.312

Further to the Amendment After Allowance filed December 21, 2004, several errors were noticed in the amendments made to the specification, claims and abstract. Therefore, it is requested that the attached Substitute Amendment After Allowance Under 37 C.F.R. § 1.312 be entered in lieu of the Amendment After Allowance filed December 21, 2004.

In particular, it was noticed that the numerator of the fraction representing the compressibility value A was reversed in several instances, namely in the second full paragraph at page 2, in the abstract, and in claim 1. Thus, in these three instances, the numerator was given as D1-D2, instead of the correct numerator which is D2-D1, as correctly defined in the paragraph bridging pages 11 and 12 of the specification. One skilled in the art will readily recognize that D1-D2 would yield a negative number, since D1 is the aerated bulk density and D2 is the packed bulk density. It is submitted that these corrections merely conform all of the values for A to that of equation (2) at pages 11-12 of the specification, so that no more than cursory review is required. This error is

Do Not Enter. Sd
2/4/05